OFFICE OF THE DIRECTORATE OF HEALTH AND FAMILY PLANNING SERVICES.

No. STR 1853 70-71. Dated 2nd March 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 30TH JANUARY 1971.

1 *Plague*.—The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 *Smallpox*.—A total of 9 attacks with one death from Smallpox was reported from the entire State, viz from taluk of Gokak as against nil attacks with nil deaths reported during the corresponding week of the previous year. As a preventive measure 3244 vaccinations have been done.

3 *Cholera*.—The State remained free from Cholera during the week under report. Comparative figures for the corresponding week of previous year were 10 attacks with 6 deaths. As a preventive measures 3173 anti cholera inoculations have been done.

4 *K. F. Diseases*.—A total of 5 attacks with one death from K. F. Diseases was reported from Shimoga District, as against 21 attacks with nil death reported during the corresponding week of the previous year.

5 (a) *Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza*.—The State remained free from Yellow Fever, Relapsing Fever and Influenza in epidemic form as against nil attacks with nil death reported during the corresponding week of the previous year.

(b) 4 cases with nil deaths from Infectious hepatitis have been reported from District Hospital, Mandya and Military Hospital, Bangalore during the week under report, as against 9 attacks with nil deaths reported during the corresponding week of the previous year.

( ) *Dengue and Haemorrhagic Fever*.—The State remained free from Dengue and Haemorrhagic Fever during the week as in the corresponding week of the last year.

6 *City and Corporation*.—The total mortality for Bangalore City Corporation amounted to 370 (114 in hospitals) for the week, as against 315 (130 in hospital during the corresponding week of the previous year, giving a calculated death rate of 16.2 (11.1 excluding hospital deaths) per mille of population (mid-year estimated) as against 17.5 (10.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 14 were due to Dysentery and Diarrhoea 5 due to Consumption and 251 due to all other causes, as against 24 were due to dysentery and diarrhoea, 9 due to consumption and 313 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 53 (35 in hospitals) for the week, as against 72 (21 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.0 (4.1 excluding hospital deaths) per mille of population (mid-year estimated) for the corresponding week of last year Classified according to causes of deaths, 7 were due to other fevers one due to dysentery and diarrhoea, and 44 due to all other causes as against 23 were due to other fevers, 2 due to consumption, and 47 due to all other causes reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 11 (11 in hospitals for the week as against 29 (29 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.4 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 9.1 (nil exkluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths) 11 were due to all other causes as against 3 were due to dysentery and diarrhoea, and 24 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 101 (87 in hospitals) for the week, giving a calculated death rate of 28.5 (3.9 excluding hospital deaths) per mille of population (mid-year estimates) Classified according to causes of deaths, 101 were due to all other causes.

The total mortality of Mangalore City amounted to 21 (20 in hospitals) for the week as against 15 14 in hospitals) during the corresponding week of the previous year giving a calculated death rate of 6.5 (0.5 excluding hospital deaths) per mille of population (mid-year estimated) as against 4.6 (0.3 excluding hospital deaths for the corresponding week for the past year. Classified according to causes of death, 21 were due to all other causes as against 2 were due to consumption and 13 due to all other causes reported during the corresponding week of the previous year.

124 For *Director of Health and F. P. Services*.

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, Mysore

Reg. No. B.G. 202

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 103 | BANGALORE THURSDAY, APRIL 1, 1971 (CHAITRA 11, SAKA ERA 1893) | No. 13

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

PART IV—WEATHER AND CROP REPORT—MODEL-FORM D. 1.

OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES IN MYSORE, BANGALORE.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 13TH FEBRUARY 1971.

Dated 5th March 1971.

1 Plague.— The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 Smallpox.—The State remained free from mallpox during the week under report. Comparative figures for the corresponding week of the previous year were 16 attacks with 3 deaths. However as a preventive measure 11,652 vaccination have been done.

3 Cholera.— The State remained free from Cholera during the week under report, as was in the corresponding week of last year. However as a preventive measure 1284 anti-cholera inoculations have been done.

4 K.F Diseases—A total of 12 attacks with nil deaths from K. F. Disease was reported from Shimoga District, as against 13 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) Yellow Fever, Relapsing Fever, Infectious Hepatites and Influenza.—The State remained free from Yellow Fever, Relapsing Fever, and Influeza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 3 cases with nil deaths from infectious hepatitis have been reported from Military Hospital, Bangalore as against one attack with nil deaths reported during the corresponding week of the last year.

(c) *Dengue and Hremorahagic Fever.*—The State remained free from Dengue and Haemorrahagic Fever during the week as in the corresponding week of the last year.

6 City and Corporation:—The total mortality for Bangalore City Corporation amounted to 192(88 in hospitals) for the week as against 210 (101 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.4 (1 9 excluding hospital deaths) per mille of population (mid-year estimated) as against 10.6 (5 5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to dysentery and diarrhoea, 5 due to consumption and 185 due to all other causes, as against 8 were due to dysentery and diarrhoea, 8 due to consumption and 194 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 80 (65 in hospitals) for the week as against 63 (16 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (2.9 excluding hospital deaths) per mille of population (mid-year estimated) as against 12.5(9.3 excluding hospital deaths for the corresponding week of the last year. Classified according to causes of deaths 4 due to other fevers, and 76 due to all other causes as against 19 were due to other Feuers, one due to dysentery and diarrhoea, 2 due to consumption, and 41 due to all other causes reported during the corresponding week of the previous year.

The report of Belgaum City has not been received.

The total mortality for K. G. F. City amounted to 5(5 in hospitals) for the week, as against 24(24 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 1.5(nil excluding hospital deaths) per mille of population (Mid-year estimated) as against 7.6(nil excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 5 due to all other causes as against One was due to dysentery and diarrhoea, and 23 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 20 (16 in hospitals) for the week, as against one(nil hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5·9 (1·1 excluding hospital deaths) per mille of population mid-year estimated as against 0·3(nil excluding hospital deaths for the corresponding week for the past year. Classified according to causes of deaths, one was due to other fevers, one due to dysentery and diarrhoea, and 18 due to all other causes as against one was due to dysentery and diarrhoea reported during the corresponding week of the previous year.

131 For *Director*.

Printed by the Director, Ptg., Sty. & Publications, Govt. Press, B'lore.

Reg. No. B.G. 202

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 106 | BANGALORE THURSDAY, APRIL 8, 1971 (CHAITRA 18, SAKA ERA 1893) | No. 14

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

PART IV—WEATHER AND CROP REPORT—MODEL-FORM D 1.

OFFICE OF THE DIRECTOR, BUREAU OF ECONOMICS AND STATISTICS, MYSORE, BANGALORE.

Statement showing the Cotton Pressed in Bales in all the Factories of Mysore State for the week ending every Friday, 5th March 1971.

Under Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the adoption of the existing Indian Law and Order, 1957.

(Unit :—392 lbs. or 180 Kg./Bales)

Division with District	Variety (Trade description)	During the week.		During the last year		Since 1-9-1970		During the same period in the last year	
		R Bales	S Bales	R Bales	S Bales	R Bales	S Bales	R Bales	S Bales
1	2	3	4	5	6	7	8	9	10
				For week ending Friday					
Old Mysore including Bellary District.	1 Jayadhar	...	...	398	398	1385	1342	685	685
	2 Lakshmi	100	100	709	698	4022	4022	2635	2624
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	...	...	—	...	947	947	1296	1296
	Total	100	100	1107	1096	6354	6311	4616	4605
	Cotton Waste			For week ending Friday					
2 Hyderabad, Raichur, Gulbarga and Bidar Districts.	1 Jayadhar	...	...	...	...	300	299	...	...
	2 Lakshmi	...	...	...	...	357	357	1065	1065
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	175	175	351	351	524	524	1145	1145
	Total	175	175	315	351	1181	1180	2210	2210
	Cotton Waste			For the week ending Friday					
3 Bombay, Belgaum, Dharwar and Bijapur Districts.	1 Jayadhar	218	219	217	181	1878	1833	1146	1088
	2 Lakshmi	2	2	1000	1001	5488	5489	6303	6671
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	100	100	660	555	12675	12613	11137	10837
	Total	320	321	1877	1737	20041	19935	19335	18608
	Cotton Waste	...	...	..	...	...	...	...	...
	Grand Total	595	596	3335	3184	27576	27426	26211	25413

134

A. R. GOPALAKRISNA,
For *Director.*

STATEMENT SHOWING THE COTTON PRESSED IN BALES IN ALL THE FACTORIES OF MYSORE STATE.

for the week ending every Friday 12th March 1971.

Under Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the adoption of the existing Indian Law and Order, 1957.

(Unit:—392 lbs. or 180 Kg./Bales).

Division with District	Variety (Trade description)	During the week		During the last year Week ending 13-3-1970		From 1-9-1970 to 12-3-1971		During the same period in the last year From 1-9-1969 to 13-3-1970	
		R Bales	S Bales	R Bales	S Bales	R Bales	S Bales	R Bales	S Bales
1	2	3	4	5	6	7	8	9	10
		For the week ending Friday, 12—3—1971							
1 Old Mysore including Bellary district.	1 Jayadhar	74	47	148	148	1459	1389	833	833
	2 Lakshmi	...	...	71	71	4022	4022	2706	2695
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	...	...	...	...	947	947	1296	1296
	Total	74	47	219	219	6428	6358	4835	4823
	Cotton Waste								
	For the week ending Friday, 12—3—1971								
2 Hyderabad, Raichur, Gulbarga and Bidar districts.	1 Jayadhar	...	...	...	...	300	299	...	...
	2 Lakshmi	250	250	...	...	607	607	1065	1065
	3 Kumta	...	...	...	...	...	...	...	...
	4 Misc.	300	300	...	...	824	824	1145	1145
	Total	550	550	...	...	1731	1730	2210	2210
	Cotton Waste								
	For the week ending Friday, 12—3—1971								
3 Bombay, Belgaum, Dharwar and Bijapur Districts.	1 Jayadhar	527	528	152	133	2405	2361	1298	1231
	2 Lakshmi	198	199	392	391	5686	5688	7194	7068
	3 Kumta	...	...	...	...	...	...	...	...
	4 Misc.	...	...	223	204	12675	12613	11670	11041
	Total	725	727	777	728	20766	20662	20162	19330
	GRAND TOTAL	1349	1324	996	947	28925	28750	27207	26364

G.V. DODDARAMAIAH,
For *Director*.

OFFICE OF THE DIRECTORATE OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

Note on the State of Public Health in Mysore State Week Ending Saturdy: 20th February 1971.

Notification dated 12th March 1971.

1 No. STR 1853/70-71. *Plague*:—The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 *Smallpox*:—A total of 4 attacks with nil deaths from Smallpox was reported from the entire State, viz, from the town of Bagalkot and from taluks of Mudhol, Jamkhandi and Bhadravati as against nil attacks with nil deaths reported during the corresponding week of the previous year. As a preventive measure 3128 vaccinations have been done.

3 *Cholera* :—The State remained free from Cholera during the week under the report, as was in the corresponding week of last year. However 51 anti-cholera inoculations have been done.

4 *K. F. Diseases*:—A total of 29 attacks with nil deaths from K. F. Disease was reported from Shimoga District, as against 13 attacks with nil deaths reported during the corresponding week of the previous year.

5 (*a*) *Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza* :—The State remained free from Yellow fever, Relapsing fever, and Influenza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(*b*) 2 cases with nil deaths from Infectious hepatitis have been reported from Military Hospital, Bangalore during the week under report as against one attack with nil deaths reported during the corresponding week of the previous year.

(*c*) *Dengue and Hamorrahagic fever* :—The State remained free from Dengue and Haemorrhagic fever during the week as in the corresponding week of the last year.

6 *City and Corporation* :—The total mortality for Bangalore City Corporation amounted to 302 (126 in hospitals) for the week, as against 316 (89 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.8 (8.6 exclusding hospital deaths per mille of population (mid-year estimated) as against 16.0(11.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 4 were due to Dysentery and Diarrhoea, 13 due to Consumption and 285 due to all other causes, as against 18 were due to Dysentery and Diarrhoea, 4 due to Consumption and 294 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 68 (53 in hospitals) for the week, as against 51 (39 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.8 (2.9 excluding hospital deaths) per mille of population (mid-year estimated) as against 10.1 (3.0 excluding hospital deaths for the corresponding week of the last year. Classified according to causes of deaths, 6 were due to fevers, and 62 due to all other causes as against 5 due to other fevers, 2 due to consumption, and 44 due to all other causes reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 4(4 in hospitals) for the week, giving a calculated death rate of 1.2 (nil excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 4 were due to all other causes.

The total mortality of Belgaum City amounted to 67 (59 in hospitals) for the week as against 34(28 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 18.9 (2.2 excluding hospital deaths) per mille of population mid-year extimated) as against 11.2 (2.0 excluding hospital) deaths) for the corresponding week for the past year. Classified according to cause of deaths 67 were due to all other causes, as against 34 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 25 (16 in hospitals) for the week as against 48 (47 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.3 (2.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 14.8 (0.3 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, one due to dysentery and diarrhoea, one due to consumption and 21 due to all other causes as against one due to dysentery and diarrhoea, 3 due to consumption and 44 due to all other causes reported during the corresponding week of the previous year.

....,

132 For *Director of Health and F.P. Services.*